ELECTRICAL AND ELECTRONICS ENGINEERING

Syllabus

CODE	COURSE NAME	CATEGORY	L	Τ	Р	CREDITS	
EET	DYNAMIC CIRCUITS AND	Minor	3	1	0	4	
285	SYSTEMS	Minor				4	

Preamble

This course introduces the application of circuit analysis techniques to dc and ac electric circuits. Analysis of electric circuits both in steady state and dynamic conditions are discussed. Network analysis using network parameters and transfer functions is also included .

Prerequisite

Basics of Electrical Engineering / Introduction to Electrical : Engineering

Course Outcomes : After the completion of the course the student will be able to:

CO 1	Apply circuit theorems to simplify and solve complex DC and AC electric networks.
CO 2	Analyse dynamic DC and AC circuits and develop the complete response to excitations.
CO 3	Solve dynamic circuits by applying transformation to s-domain.
CO 4	Solve series /parallel resonant circuits.
CO 5	Develop the representation of two-port networks using network parameters and analyse
	the network.

Mapping of course outcomes with program outcomes

	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12
CO 1	3	3										2
CO 2	3	3						1	1			2
CO 3	3	3						100				2
CO 4	3	3										2
CO 5	3	3										2

Assessment Pattern

Bloom's Category	Continuous Assessment Tests		End Semester Examination
	1	2	
Remember (K1)	10	10	10
Understand (K2)	20	20	40
Apply (K3)	20	20	50
Analyse (K4)	-		
Evaluate (K5)	-	-	-
Create (K6)		-/	-

End Semester Examination Pattern : There will be two parts; Part A and Part B. Part A contain 10 questions with 2 questions from each module, having 3 marks for each question. Students should answer all questions. Part B contains 2 questions from each module of which student should answer any one. Each question can have maximum 2 subdivisions and carry 14 marks.

Course Level Assessment Questions

Course Outcome 1 (CO 1):

- 1. State and explain network theorems (K1)
- 2. Problems on solving circuits using network theorems. (K2, K3)

Course Outcome 2 (CO 2):

- 1. Distinguish between the natural response and forced response. (K2, K3)
- 2. Problems related to steady state and transient analysis of RL, RC and RLC series circuits with DC excitation and initial conditions. (K2, K3)
- 3. Problems related to steady state and transient analysis of RL, RC and RLC series circuits with sinusoidal excitation. (K2, K3)

Course Outcome 3 (CO 3):

- 1. Problems related to mesh analysis and node analysis of transformed circuits in s-domain (K2, K3).
- 2. Problems related to solution of transformed circuits including mutually coupled circuits in s-domain (K2, K3).

Course Outcome 4 (CO 4):

- 1. Define Bandwidth, and draw the frequency dependence of impedance of an RLC network. (K1).
- 2. Develop the impedance/admittance Vs frequency plot for the given RLC network. (K2).
- 3. Evalutate the parameters such as quality factor, bandwidth,

Course Outcome 5 (CO 5):

- 1. Problems to find Z, Y, h and T parameters of simple two port networks. (K2).
- 2. Derive the expression for Z parameters in terms of T parameters. (K1).
- 3. Show that the overall transmission parameter matrix for cascaded 2 port network is simply the matrix product of transmission parameters for each individual 2 port network in cascade. (K1).

2014

Model Question paper

QP CODE:

Pag No.		PAGES:2
Name:		
APJ AI THI	BDUL KALAM TECHNOLOGICAL UN IRD SEMESTER B.TECH. DEGREE EXAM	IVERSITY INATION
Cour	Course Code: EET 285 se Name: DYNAMIC CIRCUITS AND SY	YSTEMS
Max. Marks: 100	UNIVERSIT	Duration: 3 Hours
	Answer all questions, each carries 3 mark	ks.
1 What is the conditio	n for transforming maximum power to load	in an ac notwork? How is it

- 1. What is the condition for transferring maximum power to load in an ac network? How is it obtained?
- 2. State and explain the reciprocity theorem.
- 3. Derive an expression for calculating the steady state current when an ac is applied to a series RL circuit.
- 4. A voltage of v(t) = $10 \cos(1000t + 60^{\circ})$ is applied to a series RLC circuit in which R= 10Ω , L=0.02H and C= 10^{-4} F. Find the steady current.
- 5. Apply KVL in both primary and secondary circuits and write the corresponding equations.



- 6. Give the transform representation in s-domain of an inductor with initial current and transform representation in s-domain of a capacitor with initial voltage.
- 7. Compare series and parallel resonance on the basis of resonant frequency, impedance and bandwidth.
- 8. How is selectivity measured in a parallel resonant circuit? How is selectivity increased?
- 9. What are the conditions for reciprocity of a two port network in terms of z parameters? What are the similar conditions in terms of y parameters?
- 10. How do we find equivalent T network of a two port network if z parameters are given?

 $(10 \times 3 = 30)$

PART B

Answer any one full question, each carries14 marks. MODULE1



10 ∟0° ↓ 2Ω ↓ 50 ∟90°

b)State Thevenin's theorem. How is Thevenin equivalent circuit developed?

(6)

MODULE II

- 13. a)Write the dynamic equations for analyzing the behavior of step response of a series RLC circuit. (7)
 - b) A sinusoidal voltage 25 sin 10t is applied at time t=0 to a series RL circuit comprising of R=5 Ω , L = 1 H. Using Laplace transformation, find an expression for instantaneous current in the circuit. (7)
- 14. a) A voltage 10 cos (1000t + 60°) is applied to a series RLC circuit comprising of R=10 Ω , L = 0.02 H, C = 10^{-4} F. Find an expression for the steady state current in the circuit. (7)
 - b) A capacitor C having capacitance of 0.2 F is initially charged to 10 volts and it is connected to an RL series circuit comprising of $R=4\Omega$ and L=1 H, by means of a switch at time t=0. Find the current through the circuit by means of Laplace transformation method. (7)

MODULE III

- 15. a) An LC network comprises of series inductor branches L1 and L2 each of inductance 2 H and parallel capacitor branches C1 and C2 each with capacitance 1 F. Find the transform impedance Z(s).
 - b) What are reciprocal networks? What are the conditions that should be satisfied by a network to be reciprocal? (8)
- 16. a) How is transfer function representation of a network function helpful in analyzing the behavior of the network? Mention the significance of poles and zeros in network functions?

ELECTRICAL AND ELECTRONICS ENGINEERING



- 18. a) A coil of resistance 20 ohm and inductance of 200 mH is connected in parallel with a variable capacitor. This combination is connected in series with a resistance of 8000 ohm. Supply voltage is 200 V, 50Hz. Calculate the following
 - i) The value of C at resonance
 - ii) The Q of the coil
 - iii) Dynamic resistance of the circuit.
 - b) Derive expressions for selectivity and bandwidth of a parallel tuned circuit. (7)

MODULE V

19. a) A two port network has the following z parameters: z₁₁=10 Ω, z₁₂=z₂₁=5 Ω, z₂₂ = 12 Ω. Evaluate the y parameters for the network. (8)
b)Find the z parameters of the network given. (6)

10.00

I_1	1Ω	2Ω		I ₂
	M	M_		
V_1	2Ω	4Ω	\leq	V_2
			7	

20. a)For the given two-port network equations, draw an equivalent network. $I_1 = 5V_1 - V_2$; $I_2 = -V_2 + V_1$.

(7)

(7)

(7)

b) A symmetrical T-network has the following open-circuit and short-circuit impedances:

 Z_{oc} = 800 Ω (open circuit impedance)

 $Z_{sc} = 600\Omega$ (short circuit impedance)

Calculate impedance values of the network.

ELECTRICAL AND ELECTRONICS ENGINEERING

Syllabus

Module 1

Circuit theorems: DC and Sinusoidal steady state analysis of circuits with dependent and independent sources applying Superposition principle, Source transformation, Thevenin's, Norton's and Maximum Power Transfer theorems - Reciprocity theorem.

Module 2

Analysis of first and second order dynamic circuits: Formulation of dynamic equations of RL, RC and RLC series and parallel networks with dc excitation and initial conditions and complete solution using Laplace Transforms - Time constant - Complete solution of RL, RC and RLC circuits with sinusoidal excitation using Laplace Transforms – Damping ratio – Over damped, under damped, critically damped and undamped RLC networks.

Module 3

Transformed circuits in s-domain: Transform impedance/admittance of R, L and C - Mesh analysis and node analysis of transformed circuits in s-domain. Transfer Function representation – Poles and zeros.

Analysis of Coupled Circuits: – Dot polarity convention – Sinusoidal steady state analysis of coupled circuits - Linear Transformer as a coupled circuit - Analysis of coupled circuits in s-domain.

Module 4

Resonance in Series and Parallel Circuits:

Resonance in Series and Parallel RLC circuits – Quality factor – Bandwidth – Impedance Vs Frequency, Admittance Vs Frequency, Phase angle Vs frequency for series resonant circuit.

Module 5

Two port networks: Driving point and transfer functions – Z, Y, h and T parameters - Conditions for symmetry & reciprocity – relationship between parameter sets – interconnections of two port networks (series, parallel and cascade) — $T-\pi$ transformation.

Text Books

- 1. Joseph A. Edminister and MahmoodNahvi, "Theory and Problems in Electric circuits", McGraw Hill, 5th Edition, 2010.
- 2. Ravish R. Singh, "Network Analysis and Synthesis", McGraw-Hill Education, 2013

References:

- 1. Hayt and Kemmerly, "Engineering Circuit Analysis", McGraw Hill Education, New Delhi, 8th Ed, 2013.
- 2. Van Valkenberg, "Network Analysis", Prentice Hall India Learning Pvt. Ltd., 3 edition, 1980.
- 3. K. S. Suresh Kumar, "Electric Circuit Analysis", Pearson Publications, 2013.
- 4. Chakrabarti, "Circuit Theory Analysis and Synthesis", DhanpatRai& Co., Seventh Revised edition, 2018
- 5. R. Gupta, "Network Analysis and Synthesis", S. Chand & Company Ltd, 2010.

Course Contents and Lecture Schedule:

No	Торіс	No. of Lectures
1	Network theorems - DC and AC steady state analysis (12 hours)	
1.1	Linearity and Superposition principle - Application to the analysis of DC and AC (sinusoidal excitation) circuits. Application of source transformation in electric circuit analysis.	2
1.2	Thevenin's theorem - Application to the analysis of DC and AC circuits with dependent and independent sources.	3
1.3	Norton's theorem - Application to the analysis of DC and AC circuits with dependent and independent sources.	3
1.4	Maximum power transfer theorem - DC and AC steady state analysis with dependent and independent sources.	2
1.5	Reciprocity Theorem - Application to the analysis of DC and AC Circuits.	2
2	First order and second order dynamic circuits. (9 hours)	
2.1	Review of Laplace Transforms – Formulae of Laplace Transforms of common functions/signals, Initial value theorem and final value theorem, Inverse Laplace Transforms – partial fraction method. (Questions to evaluate the Laplace/inverse transforms of any function / partial fractions method shall not be given in tests/final examination. Problems with application to circuits can be given).	2
2.2	Formulation of dynamic equations of RL series and parallel networks and solution using Laplace Transforms – with DC excitation and initial conditions. Natural response and forced response. Time constant.	1

2.3	Formulation of dynamic equations of RC series networks and solution using Laplace Transforms – with DC excitation and initial conditions. Natural response and forced response. Time constant.	1
2.4	Formulation of dynamic equations of RLC series networks with DC excitation and initial conditions, and solution using Laplace Transforms – Natural response and forced response. Damping coefficient. Underdamped, Overdamped, critically damped and undamped cases.	1
2.5	Formulation of dynamic equations of RL, RC and RLC series networks and solution with sinusoidal excitation. Complete solution (Solution using Laplace transforms).	2
2.6	Formulation of dynamic equations of RL, RC and RLC parallel networks and solution using Laplace Transforms – with DC and Sinusoidal excitations. Damping ratio.	2
3	Transformed Circuits in s-domain and Coupled circuits (9 Hours)	
3.1	Transformed circuits in s-domain: Transformation of elements (R, L, and C) with and without initial conditions.	2
3.2	Mesh analysis of transformed circuits in s-domain.	1
3.3	Node analysis of transformed circuits in s-domain.	1
3.4	Transfer Function representation – Poles and zeros.	1
3.5	Analysis of coupled circuits: mutual inductance – Coupling Coefficient- Dot polarity convention — Conductively coupled equivalent circuits. Linear Transformer as a coupled circuit.	2
3.6	Analysis of coupled circuits in s-domain.	2
4	Resonance in Series and Parallel Circuits. (6 Hours)	
4.1	Resonance in Series and Parallel RLC circuits –Related problems	3
4.2	Quality factor – Bandwidth –	1
4.3	Impedance Vs Frequency, Admittance Vs Frequency and Phase angle Vs frequency for series resonant circuit.	2

5	Two port networks (9 Hours)	
5.1	Two port networks: Terminals and Ports, Driving point and transfer	2
	functions. Voltage transfer ratio, Current transfer ratio, transfer	
	impedance, transfer admittance, poles and zeros.	
5.2	Z –parameters. Equivalent circuit representation.	1
	A DI A DINI II IZATAAA	
5.3	Y parameters. Equivalent circuit representation.	1
5.4	h parameters. Equivalent circuit representation.	1
5.5	T parameters.	1
5.6	Conditions for symmetry & reciprocity, relationship between network	1
	parameter sets.	
5.7	Interconnections of two port networks (series, parallel and cascade).	1
5.8	T-π Transformation.	1

